

Retail Food Establishment Inspection Report

Floyd County Health Department Telephone:812-948-4726

X660

Based on an inspection this day, the item(s) noted below identify violations of 410 IAC 7-24, Indiana Retail Food Establishment Sanitation Requirements.

The time limit for correction of each violation is specified in the narrative portion of this report.

The time finit for correction of each violation is specified in the narrative portion of this report.								
Establishm	_	•		Telephone Number 812 944 4600 2/3			PERMIT#	
Holida	Int Addre	es (ni	umber and street, city, state, zip code)			·.	19-140	
			ng St. New Alboy, IN 47150	487 788 4343	-/ '	, - -		
Owner	1	سيع	97. 1904 111804, 11 1130	Purpose:	Follow-up Release Date			
Noble Owner's A	Mangen	nt	Grap	Routine	YES TODAY			
Owner's A	ddress			2. Follow-up	Summary of Violations:			
Person in C	Anreel ^r			3. Complaint				
Shan		LVL	SDFNA	4. Pre-Operational	C 1 NC 9 R 4		_ R <u>4</u> _	
Responsible	e Person's	Ema	nil	5. Temporary	Мени Туј	oe (See back	of page)	
Shau	in who	ite	soffia Ognailer com	6. HACCP	6. HACCP 7. Other (list) 1 2 3 4 5			
				7. Other (list)			_45	
Exempt - continental breakfasts only								
• CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"								
• VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE BELOW AS "R"								
Section#	C/NC	R	Narrative		To Be Corrected By			
438	C	R	Observed unlabeled chemical sprayer		Today			
Z/8	~c	ļ	Observed parable machine to lose broken				2 weeks	
Z43	NC	R	Observed (2) cases of single-use items stend on ground Today				1	
245	NC		Observed miping rogs allowed to day /s toned inappropriately Retrain staff					
256	NL	<u></u>	Observed milk fogg cooler without thermouter Z weeks					
297	NC		Observed egg tray to be dirty and reeding cleaned Today					
344	عالم	R	Observed as hard some mailable I prep	p hand sink	Today			
347	NC	R	Observed no hand tomels available at	DAMO have sink		Today	-	
430	μc		Observed the Fellowing resposirs needle	ra made:		Zw	٠١٧٤	
			1) Loose ceiling tile over serving line				July	
			Broken shelf in serving line continut					
			n Missing cabind pull under prayo hand sink					
431	بان		Observed faced debris in ceren drawer on the serving line Today					
			Callabora In Callabora Callabora	as offer sourced in	<u>~ (</u>	10000		
			FCHO will ruhen 2/17 for follow-up inspection					
			(DAI WILL VENIN 7 11 1611 000-01 183/20040)					
Received by (name and title printed): Inspected by (name and title printed):								
Charles III I France								
Received by (signature): Inspected by (signature):								
Shemal Mata Fon								
cc:								





























